

# Clinical Assessment Tools

Based on *DSM-5* Criteria

Effective treatment starts with accurate assessment and diagnosis. In partnership with Evince Clinical Assessments, The Change Companies® offers the industry's most complete system of **clinically driven diagnostic resources**.

Evince clinical assessment tools cover substance-related disorders and the most commonly occurring mental health conditions. The resources include a **brief assessment** and **comprehensive diagnostic interviews**.

These instruments support your organization with the necessary **fidelity** to ensure your staff is assessing accurately the **individualized needs** of program participants.



		Brief Diagnostic Assessment	Comprehensive Diagnostic Interview	Co-occurring Disorders Diagnostic Assessment	Supports Treatment Placement & Planning	EAP & DUI/DWI Programming	Substance Use Disorder Populations	Mental Health Disorder Populations	Criminal Justice Populations	Adolescent Application
<b>TAAD-5</b>	A brief, structured interview designed to identify current alcohol and other drug problems	●					●	●	●	
<b>SUDDS-5</b>	A comprehensive interview that provides documentation of substance-specific diagnoses		●		●	●	●		●	
<b>CAAPE-5</b>	A comprehensive diagnostic assessment interview providing documentation for substance-specific diagnoses		●	●	●		●	●	●	
<b>PADDI-5</b>	A comprehensive interview for identifying mental health and substance use disorders in adolescents		●	●	●		●	●	●	●



**Administration manuals** accompany each assessment tool. These manuals ensure appropriate implementation and guide diagnostic decision making.

# TAAD-5™ Triage Assessment for Addictive Disorders-5

Sample page

The TAAD-5 is a brief, structured interview designed to identify current alcohol and other drug problems. This 10-minute assessment tool covers all DSM-5 criteria for substance use disorders. It offers high internal reliability. The TAAD-5 produces alcohol and drug use disorder profiles similar to those of more time intensive instruments.

A technician or paraprofessional can administer the TAAD-5 for interpretation by a qualified professional. A scoring summary is incorporated into each instrument and can be completed in 2-3 minutes.

**Package of 25 • \$52.50**  
**Item #: TA-T**

---

**Corresponding Manual**  
 \$15.00 each • Item #: TA-MV

**TAAD-5™**  
 Triage Assessment for Addictive Disorders-5  
 Norman G. Hollmann, Ph.D.

Name: \_\_\_\_\_ Date: \_\_\_\_\_ Interviewer: \_\_\_\_\_  
 ID #: \_\_\_\_\_ Age: \_\_\_\_\_ (1) Male (2) Female  
 Ethnic Background (check one): (1) Asian (2) African-American (3) Hispanic/Latino  
 (4) Native American (5) White/Caucasian (6) Bicultural/Other  
 Highest Grade Completed (circle): 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16+

Darken the circle indicating the respondent's best answer to each question. Each question should be asked with regard to the past 12 months.

- In general, how often do you drink?  
 Daily  
 4 to 6 days per week  
 2 to 3 days per week  
 About once a week  
 At least 12 times a year  
 Less often  
 Never (Go to # 5)
- During the past 12 months, did you ever drink at least a fifth of liquor in one day? (That would be about 20 mixed drinks, three bottles of wine, or three six-packs of beer.)  
 No  
 Yes
- When you drink, how many drinks do you usually have?  
 7 or more  
 5 or 6  
 3 or 4  
 1 or 2
- Can you drink more now without feeling the effects than you once did?  
 No  
 Yes
- How often do you use other drugs?  
 Daily  
 4 to 6 days per week  
 2 to 3 days per week  
 About once a week  
 At least 12 times a year  
 Less often  
 Never (Go to # 5)
- Do you need larger amounts of drugs to get high than you once did?  
 No  
 Yes
- During the past 12 months, have you frequently used alcohol/drugs to relieve emotional discomfort, such as sadness, anger, or boredom?  
 No  
 Yes (alcohol only)  
 Yes (drugs only)  
 Yes (both alcohol and drugs)
- Have you frequently found yourself thinking about drinking/getting high?  
 No  
 Yes (alcohol only)  
 Yes (drugs only)  
 Yes (both alcohol and drugs)
- Have you occasionally had more to drink than you intended?  
 No (Go to # 5)  
 Yes
- How often would you say this happens?  
 Once a day  
 Several times a week  
 Several times a month  
 Several times a year
- During the past 12 months, have you set rules to limit your drinking or drug use that you failed to follow?  
 No  
 Yes (alcohol only)  
 Yes (drugs only)  
 Yes (both alcohol and drugs)

Copyright, 1997, 2012 Norman G. Hollmann, Ph.D. All Rights Reserved. Distributed by The Change Companies, 800-875-8866, 771-686-5424. Reproduction or adaptation in any manner, in whole or in part, by any means, is a violation of copyright law and constitutes unethical and unprofessional conduct.

## Applications:

- ◆ Any situation requiring fast, initial discrimination between a likely substance use disorder or no diagnosis.
- ◆ Ideal for preliminary triage to determine if a treatment referral or intake assessment is indicated.
- ◆ Other settings for use include:
  - a quick initial assessment of DUI/DWI offenders.
  - initial EAP assessments, mental health clinics, primary care settings or emergency rooms.
  - initial field assessments by child protection, welfare workers or other social service providers.

## Benefits:

- ◆ Offers a quick assessment of current substance use disorder criteria.
- ◆ Provides support for substance use disorder diagnoses in minutes.
- ◆ Documents negative findings for those individuals who do not see problems.

# SUDDS-5™ Substance Use Disorder Diagnostic Schedule-5

Sample page

The SUDDS-5 is a comprehensive interview that provides documentation of substance-specific diagnoses based on the DSM-5.

This 35- to 45-minute interview covers both current and lifetime indications of substance use disorders. It also screens for current and past indications of depression and anxiety disorders.

Internal consistency reliability coefficients for individual substances range from .90 to .98.

This instrument provides information compatible with ASAM's criteria for treatment planning and placement. Scoring can be completed within five minutes.

**SUDDS-5™** Substance Use Disorder Diagnostic Schedule - 5  
Norman G. Hoffmann, Ph.D. and Patricia A. Herten, Ph.D.

Name \_\_\_\_\_ Interviewer \_\_\_\_\_  
 ID# \_\_\_\_\_ Location Code \_\_\_\_\_  
 Birth date \_\_\_\_/\_\_\_\_/\_\_\_\_ Date of Interview \_\_\_\_/\_\_\_\_/\_\_\_\_  
 Sex (Circle) 1 Male 2 Female

**GENERAL INFORMATION**

- What is your ethnic origin?
  - Asian
  - African American
  - Hispanic
  - Native American
  - Caucasian
  - Bisexual/Multicultural/Other
- What is your current marital status?
  - Never married
  - Married
  - Separated
  - Divorced
  - Widowed
- What is the highest degree you have earned?
  - Not a high school graduate
  - High school diploma/GED
  - Vocational/technical/business school
  - Associate Degree (2 year)
  - Bachelor Degree (4 year)
  - Master's Degree
  - M.D., J.D., Doctorate
- Are you employed?
  - Yes, full-time (35 hours or more)
  - Yes, part-time (less than 35 hours)
  - No, unemployed (seeking work)
  - Not working by choice
- What is your primary job when you are working?
  - Professional/technical
  - Manager/administrative/business owner/owner
  - Sales
  - Clerical/office worker
  - Craft/trade/trades
  - Transportation/equipment operator
  - Laborer
  - Domestic worker (housekeeper, daycare, etc.)
  - Service worker (waiter/waitress)
  - Military Service
  - Other (specify) \_\_\_\_\_
- What was your total personal income last year?
  - None to \$10,000
  - \$10,001 to \$20,000
  - \$20,001 to \$30,000
  - \$30,001 to \$40,000
  - \$40,001 to \$50,000
  - Over \$50,000
- Are any minor children living with you?
  - No
  - Yes


Copyright, 1995, 2013 by Norman G. Hoffmann, Ph.D.  
 All rights reserved.  
 Reproduction or adaptation in any form, in whole or in part, by any means, is a violation of copyright and constitutes unethical and unprofessional conduct.

Distributed by:  
 The Change Companies  
 5225 Sigilton, Carson City, NV 89706  
 Telephone: 888-889-8866; Fax: 775-885-6942  
 www.changecompanies.net

## Applications:

- ◆ Intake diagnostic tool for substance-related disorders.
- ◆ Ideal for use in case management, such as oversight following positive drug tests for safety-sensitive workers.
- ◆ Helpful in situations where litigation or challenges to findings might be involved.
- ◆ Excellent for developing court testimony or any situation where detailed objective documentation is required.

# SUDDS-5™ Substance Use Disorder Diagnostic Schedule-5



**Package of 25 • \$67.50**  
**Item #: ST-V**

---

**Corresponding Manual**  
 \$20.00 each • Item #: ST-MV

## Benefits:

- ◆ Can be completed in a single session or in segments over multiple sessions without losing the context of previous responses.
- ◆ Collects prognostic information relevant to ASAM's criteria.
- ◆ Respondent sign-off provides an option to have individuals attest to the accuracy of the information provided.


# CAAPE-5™ Comprehensive Addictions and Psychological Evaluation-5

The CAAPE-5 is a comprehensive diagnostic assessment interview providing documentation for substance-specific diagnoses based on DSM-5 criteria. In 20-35 minutes, the CAAPE-5 covers some of the more prevalent mental health conditions likely to impact recovery from substance use disorders and collects key demographic information associated with prognosis.

## CONDITIONS COVERED:

- Substance specific use disorders
- Major depressive episode
- Manic episode
- Panic disorder
- Anxiety and phobia indications
- Post traumatic stress disorder
- Obsessive-compulsive disorder
- Psychosis
- Antisocial personality disorder
- Paranoid personality disorder
- Schizoid personality disorder
- Borderline personality disorder
- Dependent personality disorder
- Obsessive-compulsive personality disorder

Sample page



**Package of 25 • \$67.50**  
**Item #: CA-T**

**Corresponding Manual**  
**\$20.00 each • Item #: CM-V**

## Applications:

- ◆ Intake diagnostic tool for mental health and substance use disorders.
- ◆ Aids in motivational enhancement by offering detailed behaviors and symptoms of conditions.
- ◆ Documentable to help determine if the conditions have improved or if recovery can be recorded.
- ◆ Interview can be taken all at once or broken up into separate sessions without losing context.

## Benefits:

- ◆ Consistent and efficient DSM-5 compatible diagnostic interview
- ◆ Documentation of drug/alcohol related problems
- ◆ Indications of common mental health conditions
- ◆ Demographic and clinical prognostic indicators
- ◆ Helps meet accreditation requirements

# PADDI-5™ Practical Adolescent Dual Diagnostic Interview-5

The PADDI-5 is a comprehensive interview based on the *DSM-5* for identifying co-occurring mental health and substance use disorders among adolescents. This interview enables both addiction and mental health professionals to document problems within their areas of expertise and make focused referrals for conditions outside their scope of practice.


The PADDI-5 covers the following areas in accordance with the *DSM-5*:

- Substance use disorders
- Major depressive episodes
- Manic episodes
- Panic attacks
- PTSD
- ADHD
- Conduct disorder
- Oppositional defiant disorder

Also covered in the context of this 35-45 minute interview are:

- Dangerousness to self or others
- Victimization: physical, sexual and emotional abuse
- Symptoms indicative of psychosis
- Indications of phobias and generalized anxiety

All this information can be collected and summarized in this efficient and client-friendly interview designed by experts in assessment and clinical practice. The flow of the interview can actually contribute to the development of rapport with the adolescent.



## Applications:

- ◆ Initial evaluation of co-occurring mental health and substance use disorders in adolescents.
- ◆ Excellent for use in juvenile justice, mental health and addiction treatment settings and court diversion.
- ◆ Can be used in clinics, treatment centers and private practices.
- ◆ Can be repeated to determine adolescent's progress.
- ◆ Used for monitoring affective and anxiety disorders.

## Benefits:

- ◆ Fully compatible with *DSM-5*; but can also address *DSM-IV*.
- ◆ Appropriate for both private practice and public settings: Administration (35-50 minutes) and scoring (less than five minutes) can be completed during a typical outpatient interview or intake.
- ◆ Convenient means of documenting and reporting findings.
- ◆ Administration does not require special training for licensed clinicians.
- ◆ Technicians and paraprofessionals can administer the interview with minimal training.
- ◆ Findings from the PADDI-5 can inform Dimensions 1, 3, 5 and 6 of ASAM's criteria.



**1 Unit =  
25 Assessments**

Item #	Title	Quantity	Unit Each	Total
<b>Clinical Assessments</b>				
TA-T	TAAD-5 — Triage Assessment For Addictive Disorders-5		x \$52.50 =	
ST-V	SUDDS-5 — Substance Use Disorder Diagnostic Schedule-5		x \$67.50 =	
CA-T	CAAPE-5 — Comprehensive Addictions And Psychological Evaluation-5		x \$67.50 =	
PT-V	PADDI-5 — Practical Adolescent Dual Diagnostic Interview-5		x \$67.50 =	
<b>Manuals (no minimum order)</b>				
TA-MV	TAAD-5 — Triage Assessment For Addictive Disorders-5 Manual		x \$15.00 =	
ST-MV	SUDDS-5 — Substance Use Disorder Diagnostic Schedule-5 Manual		x \$20.00 =	
CM-V	CAAPE-5 — Comprehensive Addictions And Psychological Evaluation-5 Manual		x \$20.00 =	
PM-V	PADDI-5 — Practical Adolescent Dual Diagnostic Interview-5 Manual		x \$20.00 =	
<b>SUBTOTAL</b>				
<b>Domestic Shipping and Handling 7.5% (Minimum \$7.50)</b>				
<b>Tax (CA, CO, IN, MO, NM, NV, TN, WA)</b>				
<b>TOTAL</b>				

Packages will be shipped ground services the same day your order is received.

DATE:	PO # (IF REQUIRED):	
NAME:	TITLE:	
SITE NAME:	EMAIL:	
ADDRESS:		
CITY:	STATE:	ZIP:
PHONE:	FAX:	

Check, Money Order     Visa     MasterCard     American Express

Name/Company on card \_\_\_\_\_

Billing address on card \_\_\_\_\_

Card #:

Exp. Date: \_\_\_\_\_ Card Code: \_\_\_\_\_

**CALL, FAX OR MAIL YOUR ORDER TO:**



Toll-free: 888-889-8866  
Fax: 775-885-0643

5221 Sigstrom Drive • Carson City, NV 89706